

TECHNICAL MOBILITY SUPPORTS **GW11 24 04 01 Folding seat with leg**



Product description

Shower folding seat with leg

Structure material: AISI 304 stainless steel

Seat material: AISI 304 stainless steel slats

Brushed finish

Technical specifications:

The folding shower seat with leg is manufactured in AISI 304 stainless steel structure screwed to the seating surface made of AISI 304 stainless steel slats. Its structure manufactured in AISI 304 stainless steel, 32 mm diameter, 1.5 mm thickness, is fixed to two wall supports manufactured in AISI 304 stainless steel, 3mm thickness. The structure turns 90° to the wall supports in order to be able to leave the seat in upright position. The assembled unit has a brushed finish and its materials assure a correct maintenance and cleaning. The shower seat is fixed to the wall with 8 screws 8 x70mm and 8 nylon wall plugs 10x50 mm to support static loads of 227 kg (500 lb). The total measures of the product are 820 x 520 x 450 mm. The shower seat code is GW11 24 04 01, manufactured by GENWEC WASHROOM S.L. - Av. Joan Carles I, 46-48 - ES 08908 L'Hospitalet de Llobregat - Barcelona (Spain). www.genwec.com


Technical characteristics

Product specifications

- Structure material: AISI 304 stainless steel
- Tube diameter: 32 mm. Tube thickness: 1.5 mm.
- Seat material: AISI 304 stainless steel slats
- Brushed finish
- Seat supports 227 Kg (500lb) if properly fixed


(1) *The static maximum load highly depends on the wall where the product will be installed. The maximum static load mentioned on the data sheet is considering installation with screws and wall plugs supplied and in brick wall.*

TECHNICAL MOBILITY SUPPORTS **GW11 24 04 01 Folding seat with leg**



Cleaning: A cotton cloth slightly dampened in a soapy solution is recommended. Then dry off.

Installation recommendations



Electrical isolation

GENWEC WASHROOM has electrical isolation kits for all shower seats manufactured in steel. The kit code for related seat is GW11.01.90.02 (2 units).

