


A / Hanging bar Installation Manual (Instruction for LED bathroom mirror)




Please choice portrait or landscape installation method first




To use the drill to have the holes




Taking the central point of mental piece as a start point, separetely measure the distance of ${\rm A}$ and ${\rm B}$



(7)
Insert the plug into wall, and secure the screwes




Horizontal the hanging bar mark with a pen in the hanging bar hole




④ (A just apply to the solid wall)


Put the expansion plug into the wall hole
both the wall holes and the hanging bar holes are match.
to use the screwdriver to make the screw tightly




To use the drill to have the holes




Please cut off all the power before the connection




B / Hardy Holes Installation Manual (Instruction for LED bathroom mirror)






1

please choice portrait or landscape installation method first To use the measure tape to measure to distance between the two holes




Horizontal the level ruler
Mark the distance between two holes on the wall with a pen



Power Off


To use the drill to have the holes

OFF



to use the screwdriver to make the screw tightly

⑤
Please cut off all the power before the connection



Function usage





"Switch" sign

- 1. Please choice below operation according to what product you buy:
- A. Touch switch.
- B. Touch switch holding to gradually dim.
- C. Touch switch press-hold color change.
- D. Tap-tap touch color change.
- E. The first short touch, turn on the light and demist pad; The second short touch, chang the color temperature: The third short touch, turn off the light and demist pad, when the light be turned on; the first holding touch; the brightness of the light can be changed from 100% to 10% or 10% to 100%, the second holding touch; the brightness of the light can be changed from 10% to 100% or 100% to 10%



Infrared sensor switch





parts list



M4 screw



D6 expansion screw



Installation tools (as shown below



Flexible rule



Leveling instrument



Churn drill



Screwdriver



Hammer

Warm tips:

- 1. Please do not use, if the product have any bocken.
- 2. During operation, never put hard and sharp materials directly against the mirror surface. Otherwise, it may result in current leakage and even personal injury accident.
- 3. Never forget to turn off the power switch in storm days. Otherwise, lightning may damage electric elements of the product.
- 4. During normal operation, never forcibly pull out the power plug to stop the product. Otherwise, electric elements of the product may be damaged.
- 5. Please pull out the power plug if the product is not used for a long time.